Contents to volume 209

Research Letters

Fura-2 diffusion and its use as an indicator of transient free calcium changes in single striated muscle cells (FEBS 4222) *M.P. Timmerman, C.C. Ashley* 1

Preferential binding of collagenase to α_2-macroglobulin in the presence of the tissue inhibitor of metalloproteinases (FEBS 4238) *T.E. Cawston, E. Mercer* 9

Large scale, rapid purification of recombinant tissue-type plasminogen activator (FEBS 4246) *I. Dodd, S. Jalalpour, W. Southwick, P. Newsome, M.J. Browne, J.H. Robinson* 13

Hornetin: the lethal protein of the hornet *(Vespa flavitarsus)* venom (FEBS 4253) *C.-L. Ho, J.-L. Ko* 18

Mitotic inhibitors arrest the growth of *Plasmodium falciparum* (FEBS 4243) *E.A. Usanga, E. O'Brien, L. Luzzato* 23

Luminescence decay kinetics in relation to the relaxation of the transthylakoid ΔpH from high and low CO_2 adapted cells of *Scenedesmus obliquus* (FEBS 4240) *L.-G. Sundblad, K. Palmqvist, G. Samuelsson* 28

Ethylene glycol causes acyl chain disordering in liquid-crystalline, unsaturated phospholipid model membranes, as measured by ^{2}H NMR (FEBS 4239) *K. Nicolay, E.B. Smaal, B. de Kruijff* 33

The absence of a spectroscopically resolved intermediate state P^+B^- in bacterial photosynthesis (FEBS 4242) *J. Breton, J. -L. Martin, J. Petrich, A. Migus, A. Antonetti* 37

A new intermediate in the photocycle of bacteriorhodopsin (FEBS 4252) *Z. Dancshazy, R. Govindjee, B. Nelson, T.G. Ebrey* 44

Propylthiouracil, a selective inhibitor of NADH-cytochrome b_5 reductase (FEBS 4251) *E. Lee, K. Kariya* 49

Accessibility of phosphodiester bonds in the yeast ribosomal 5 S RNA protein complex (FEBS 4244) *J. McDougall, R.N. Nazar* 52

An extremely hydroxyproline-rich glycoprotein is expressed in inverting *Volvox* embryos (FEBS 4241) *R. Schlipfenbacher, S. Wenzl, F. Lottspeich, M. Sumper* 57

Phosphorylation of small subunit plays a crucial role in the regulation of RuBPCase in moss and spinach (FEBS 4248) *R. Kaul, D. Saluja, R.C. Sachar* 63

Photoaffinity labelling of dopamine D_2 receptors by [^{3}H]azidomethylspiperone (FEBS 4234) *H.B. Niznik, D.E. Grigoriadis, P. Seeman* 71

A calorimetric study of Ca^{2+} binding by the parvalbumin of the toad (*Bufo*): distinguishable binding sites in the molecule (FEBS 4245) *M. Tanokura, M. Imaizumi, K. Yamada* 77

Immunological evidence for the presence of the D1 and D2 proteins in PS II cores of higher plants (FEBS 4263) *P.J. Nixon, T.A. Dyer, J. Barber, C.N. Hunter* 83

Further evidence for a role of sulfhydryls in the thioredoxin dependent activation of corn NADP-malate dehydrogenase: Use of a cysteine free mutant of *E. coli* thioredoxin (FEBS 4259) *J.-P. Jacquot, P. Decottignies* 87

Transcript regulation and carboxyterminal extension of ubiquitin in *Dictyostelium discoideum* (FEBS 4262) *M. Westphal, A. Müller-Taubenberger, A. Noegel, G. Gerisch* 92

Structure and expression of the human calcitonin/CGRP genes (FEBS 4258) *P.H. Steenbergh, J.W.M. Höppener, J. Zandberg, A. Visser, C.J.M. Lips, H.S. Jansz* 97

The growth of ordered two-dimensional sheets of 70 S ribosomes from *Bacillus stearothermophilus* (FEBS 4231) *J. Piefke, T. Arad, H.S. Gewitz, A. Yonath, H.G. Wittmann* 104

The amino-terminal sequences of four major carp γ-crystallin polypeptides and their homology with frog and calf γ-crystallins (FEBS 4260) *S.-H. Chiou, S.-W. Chen, T.-B. Lo* 107

Published by Elsevier Science Publishers B.V. (Biomedical Division)
00145793/86/$3.50 © 1986 Federation of European Biochemical Societies

The similarities and differences in structures between kringle 1 of prothrombin and kringle 4 of plasminogen (FEBS 4250) *R.J.P. Williams, P. Esnouf, M. Lawrence, S.A. Cederholm-Williams* 111

Identification of two toxins from scorpion *(Leiurus quinquestriatus)* venom which block distinct classes of calcium-activated potassium channel (FEBS 4256) *N.A. Castle, P.N. Strong* 117

Species differences in structure-activity relationships of adenosine agonists and xanthine antagonists at brain A1 adenosine receptors (FEBS 4264) *D. Ukena, K.A. Jacobson, W.L. Padgett, C. Ayala, M.T. Shamim, K.L. Kirk, R.A. Olsson, J.W. Daly* 122

Reduction in potency and reversal of left-shifting activity of BW12C with the major and minor components of chicken hemoglobin (FEBS 4002) *R. Wootton, D.K. Stammers, R.D. White* 129

Inhibition of phorbol ester stimulated superoxide production by 1-oleoyl-2-acetyl-*sn*-glycerol (OAG); fact or artefact? (FEBS 4261) *R.W. Bonser, J. Dawson, N.T. Thompson, H.F. Hodson, L.G. Garland* 134

The formation of plasma membrane blebs in hepatocytes exposed to agents that increase cytosolic Ca^{2+} is mediated by the activation of a non-lysosomal proteolytic system (FEBS 4254) *P. Nicotera, P. Hartzell, G. Davis, S. Orrenius* 139

Notes to Authors 145

Review–Hypothesis

Siderophores, the iron nutrition of plants, and nitrate reductase (FEBS 4278) *D. Castignetti, J. Smarrelli, jr* 147

Research Letters

Transport of F_1-ATPase subunit β into mitochondria depends on both a membrane potential and nucleoside triphosphates (FEBS 4274) *N. Pfanner, W. Neupert* 152

Characterization of nucleotide-binding sites on the chloroplast coupling factor 1 using two photolabile analogs (FEBS 4268) *M.S. Abbott, N. Shavit, S. Selman-Reimer, B.R. Selman* 157

Regulation of protein synthesis in rabbit reticulocyte lysates: Requirement of initiation factor eIF-2 holoprotein for substrate specificity of heme-regulated protein kinase (FEBS 4265) *R.C. Roberts, R.S. Ranu* 162

Scorpion venom inhibits selectively Ca^{2+}-activated K^+ channels in situ (FEBS 4266) *E. Leneveu, M. Simonneau* 165

Loss of quin 2 accompanies degranulation of mast cells (FEBS 4271) *P.C. Bibb, D.E. Cochrane, N. Morel-Laurens* 169

Phosphorylation of the basal site of hormone-sensitive lipase by glycogen synthase kinase-4 (FEBS 4267) *H. Olsson, P. Strålfors, P. Belfrage* 175

The gene for the 10 kDa phosphoprotein of photosystem II is located in chloroplast DNA (FEBS 4269) *S.M. Hird, T.A. Dyer, J.C. Gray* 181

The second pX product $p27^{x\text{-}III}$ of HTLV-1 is required for gag gene expression (FEBS 4273) *J. Inoue, M. Seiki, M. Yoshida* 187

Lipid peroxidation in regenerating rat liver (FEBS 4255) *K.H. Cheeseman, M. Collins, S. Maddix, A. Milia, K. Proudfoot, T.F. Slater, G.W. Burton, A. Webb, K.U. Ingold* 191

Regulation of ATP hydrolase activity of the F_0-F_1 complex of rat-liver mitochondria during early hepatic regeneration (FEBS 4155) *M. Buckle* 197

Isolation of a cDNA for the rat heavy neurofilament polypeptide (NF-H) (FEBS 4249) *P.A. Robinson, D. Wion, B.H. Anderton* 203

Identical N-terminal peptide sequences of asymmetric forms and of low-salt-soluble and detergent-soluble amphiphilic dimers of *Torpedo* acetylcholinesterase: Comparison with bovine acetylcholinesterase (FEBS 4247) *S. Bon, J.-Y. Chang, A.D. Strosberg* 206

Plasminogen activator inhibitor type-1: reactive center and amino-terminal heterogeneity determined by protein and cDNA sequencing (FEBS 4257) *P.A. Andreasen, A. Riccio, K.G. Welinder, R. Douglas, R. Sartorio, L.S. Nielsen, C. Oppenheimer, F. Blasi, K. Danø* 213
Expression cloning of a cDNA encoding the type II regulatory subunit of the cAMP-dependent protein kinase (FEBS 4276) *B.A. Hemmings, M. Schwarz, S.R. Adavani, D.A. Jans* 219
An organ-specific hypomethylation of cotyledon genomic rDNA in *Pisum sativum* L. (FEBS 4291) *R.N. Waterhouse, D. Boulter, J.A. Gatehouse* 223
Precursors of mitochondrial proteins are degraded in the cytosol at different rates (FEBS 4285) *V. Felipo, S. Grisolía* 227
Inhibition of topoisomerase I by antibodies in sera from scleroderma patients (FEBS 4289) *D.S. Samuels, T. Tojo, M. Homma, N. Shimizu* 231
Specificity of prolyl endopeptidase (FEBS 4293) *K. Nomura* 235
The polar head group of a novel insulin-sensitive glycophospholipid mimics insulin action on phospholipid methyltransferase (FEBS 4294) *K.L. Kelly, J.M. Mato, L. Jarett* 238
Polyethylene glycol-stimulated microsomal GTP hydrolysis: Relationship to GTP-mediated Ca^{2+} release (FEBS 4295) *C.V. Nicchitta, S.K. Joseph, J.R. Williamson* 243
Cyclooxygenase-catalyzed formation of 9-hydroxylinoleic acid by guinea pig alveolar macrophages under non-stimulated conditions (FEBS 4280) *F. Engels, H. Willems, F.P. Nijkamp* 249
Fructose 2,6-bisphosphate and glucose 1,6-bisphosphate in erythrocytes during chicken development (FEBS 4298) *C. Espinet, R. Bartrons, J. Carreras* 254
Effect of electrostatic repulsion on the morphology and thermotropic transitions of anionic phospholipids (FEBS 4300) *R.M. Epand, S.-W. Hui* 257
Preliminary X-ray studies of the tetra-heme cytochrome c_3 and the octa-heme cytochrome c_3 from *Desulfovibrio gigas* (FEBS 4287) *L.C. Sieker, L.H. Jensen, J. LeGall* 261
^{1}H-NMR analysis of the sugar structures of glycoproteins as their pyridylamino derivatives (FEBS 4292) *S. Koyama, H. Daiyasu, S. Hase, Y. Kobayashi, Y. Kyogoku, T. Ikenaka* 265
Origins of stereospecificity in DNA damage by *anti*-benzo[*a*]pyrene diol-epoxides: A molecular modelling study (FEBS 4279) *L.H. Pearl, S. Neidle* 269
Increased nuclear cyclin/PCNA antigen staining of non S-phase transformed human amnion cells engaged in nucleotide excision DNA repair (FEBS 4277) *J.E. Celis, P. Madsen* 277
Coat protein blocks the in vitro transcription of the virion RNAs of alfalfa mosaic virus (FEBS 4275) *C.J. Houwing, E.M.J. Jaspars* 284
Identification of $p26^{Xb}$ and $p24^{Xb}$ of human T-cell leukemia virus type II (FEBS 4302) *H. Shima, M. Takano, K. Shimotohno, M. Miwa* 289
Point mutations of human interleukin-1 with decreased receptor binding affinity (FEBS 4272) *H.R. MacDonald, P. Wingfield, U. Schmeissner, A. Shaw, G.M. Clore, A.M. Gronenborn* 295
Kurloff cell proteoglycans: Evidence for de novo synthesis of chondroitin sulphate proteoglycans by purified Kurloff cells (FEBS 4282) *G. Landemore, S.-E. Letaïef, J. Bocquet, J. Izard* 299
Restoration of hydroperoxide-dependent lipid peroxidation by 3-methylcholanthrene induction of cytochrome P-448 in hepatoma microsomes (FEBS 4284) *S. Borrello, T. Galeotti, G. Palombini, G. Minotti* 305
Heterogeneity of adrenocortical ferredoxin (FEBS 4286) *A. Hiwatashi, N. Sakihama, M. Shin, Y. Ichikawa* 311
Protonation of a novel intermediate P is involved in the M→bR step of the bacteriorhodopsin photocycle (FEBS 4281) *L.A. Drachev, A.D. Kaulen, V.P. Skulachev, V.V. Zorina* 316
Detection of a new chloroperoxidase in *Pseudomonas pyrrocinia* (FEBS 4270) *W. Wiesner, K.-H. van Pee, F. Lingens* 321
Absence of a unique relationship between active transport of lactose and protonmotive force in *E. coli* (FEBS 4297) *A. Ghazi, L. Delamourd, E. Shechter* 325

N-terminal amino acid sequences of the heavy and light chains of chicken liver cathepsin L (FEBS 4288) *K. Wada, T. Tanabe* 330
Amino acid sequence determination of guanyl-specific ribonuclease Sa from *Streptomyces aureofaciens* (FEBS 4299) *S.V. Shlyapnikov, V. Both, V.A. Kulikov, A.A. Dementiev, J. Ševčik, J. Zelinka* 335
A unique nucleoprotein structure associated with the *Drosophila melanogaster* 18–28 S rDNA nontranscribed spacer (FEBS 4301) *L.F. Levinger, G.S. Nass* 340
Receptor binding, cGMP stimulation and receptor desensitization by atrial natriuretic peptides in cultured A10 vascular smooth muscle cells (FEBS 4311) *D. Neuser, P. Bellemann* 347
Detection of the major pertussis toxin substrate of human leukocytes with antisera raised against synthetic peptides (FEBS 4296) *J. Falloon, H. Malech, G. Milligan, C. Unson, R. Kahn, P. Goldsmith, A. Spiegel* 352
The activated human *met* gene encodes a protein tyrosine kinase (FEBS 4290) *P.R. Tempest, C.S. Cooper, G.N. Major* 357
Formation of formaldehyde from *S*-adenosyl-L-[*methyl*-^{3}H]methionine during enzymic transmethylation of histamine (FEBS 4303) *Z. Huszti, E. Tyihák* 362
Primary structure of porcine cardiac muscarinic acetylcholine receptor deduced from the cDNA sequence (FEBS 4342) *T. Kubo, A. Maeda, K. Sugimoto, I. Akiba, A. Mikami, H. Takahashi, T. Haga, K. Haga, A. Ichiyama, K. Kangawa, H. Matsuo, T. Hirose, S. Numa* 367

Author Index 373

Table of Contents 378

Notes to Authors 382

FEBS NEWS

A FEBS–CNRS Advanced Course 385